

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

C07D 493/18, A61K 31/335, 31/35 // (C07D 493/18, 241:00) (C07D 493/18, 307:00) (C07D 493/18, 209:00) (C07D 493/18, 265:00) (C07D 493/18, 221:00) (11) International Publication Number:

WO 00/04024

(43) International Publication Date:

27 January 2000 (27.01.00)

(21) International Application Number:

PCT/GB99/02267

EP

A1

(22) International Filing Date:

14 July 1999 (14.07.99)

(30) Priority Data:

98305596.3

14 July 1998 (14.07.98)

(74) Agent: WALLACE, Sheila, Jane; Lloyd Wise Tregear & Co., Commonwealth House, 1-19 New Oxford Street, London WC1A 1LW (GB).

(71) Applicant (for all designated States except US): THE HONG KONG UNIVERSITY OF SCIENCE & TECHNOLOGY [CN/CN]; Clear Water Bay, Kowloon, Hong Kong (CN).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HAYNES, Richard, Kingston [AU/CN]; The Hong Kong University of Science & Technology, House 2, 1 University Road, Clear Water Bay, Kowloon, Hong Kong (CN). CHAN, Ho-Wai [GB/CN]; Flat 15, 2/F, Kam Yung House, Kam Fung Court, Ma On Shan, Shatin, New Territories, Hong Kong (CN). LAM, Wai-Lun [GB/CN]; 6/F 100 Shantung Street, Mongkok, Kowloon, Hong Kong (CN). TSANG, Hing-Wo [GB/CN]; 20A To Shek Village, Sha Tin, New Territories, Hong Kong (CN). CHEUNG, Man-Ki [GB/CN]; Flat 4B Block 14, Laguna City, Cha Kwo Ling, Kowloon, Hong Kong (CN).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: ANTIPARASITIC ARTEMISININ DERIVATIVES (ENDOPEROXIDES)

(57) Abstract

This invention relates to the use of certain C-10 substituted derivatives of artemisinin of general formula (I) in the treatment and/or prophylaxis of diseases caused by infection with a parasite, certain novel C-10 substitued derivatives of artemisinin, processes for their preparation and pharmaceutical compositions containing such C-10 substituted derivatives. The compounds are particularly effective in the treatment of malaria, neosporosis and coccidiosis.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

1								
	AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
l	AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ı	AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ı	AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
l	AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
1	BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
l	BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
1	BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
1	BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
1	BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ı	BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
ı	BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
L	BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
L	CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
ı	CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
ı	CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
ı	CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
ı	CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
ı	CM	Cameroon		Republic of Korea	PL	Poland		
ı	CN	China	KR	Republic of Korea	PT	Portugal		
ı	CU	Cuba	KZ	Kazakstan	RO	Romania		
ı	CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
ı	DE	Germany	LI	Liechtenstein	SD	Sudan		
L	DK	Denmark	LK	Sri Lanka	SE	Sweden		
١	EE	Estonia	LR	Liberia	SG	Singapore		

CLAIMS

5

15

20

25

1. A compound of the general formula I

or a salt thereof,

in which

Y represents a halogen atom, an optionally substituted cycloalkyl, aryl, C-linked heteroaryl or heterocyclylalkyl group or a group -NR¹R²; where

R¹ represents a hydrogen atom or an optionally substituted alkyl, alkenyl or alkynyl group;

 R^2 represents an optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, aryl or aralkyl group; or

 \mathbb{R}^1 and \mathbb{R}^2 together with the interjacent nitrogen atom represent an optionally substituted heterocyclic group or an amino group derived from an optionally substituted amino acid ester;

for use in the treatment and/or prophylaxis of a disease caused by infection with a parasite other than an organism of the genus <u>Plasmodium</u>.

 A compound according to claim 1 in which Y represents a halogen atom. -78-

WO 00/04024

5

10

15

20

25

3. A compound according to claim 1 or claim 2 in which Y represents a fluorine or bromine atom.

PCT/GB99/02267

- 4. A compound according to claim 1 in which Y represents a C_{3-8} cycloalkyl group, a C_{6-18} aryl group, a 5-to 10-membered C-linked heteroaryl group or a 5- to 10-membered heterocyclyl- C_{1-6} alkyl group, each group being optionally substituted by one or more substituents selected from the group consisting of halogen atoms, hydroxyl, C_{1-4} alkyl, C_{2-4} alkenyl, C_{1-4} haloalkyl, C_{1-4} alkoxy, amino, C_{1-4} alkylamino, di(C_{1-4} alkyl)amino, carboxyl, C_{6-10} aryl, 5 to 10-membered heterocyclic and C_{1-4} alkyl- or phenyl-substituted 5- to 10-membered heterocyclic groups.
- 5. A compound according to claim 4 in which Y represents a C_{6-18} aryl group optionally substituted by one or more substituents selected from the group consisting of halogen atoms, hydroxyl, C_{1-4} alkyl, C_{2-4} alkenyl, C_{1-4} haloalkyl, C_{1-4} alkoxy, C_{1-4} haloalkoxy, amino, C_{1-4} alkylamino, di(C_{1-4} alkyl) amino and carboxyl groups.
- 6. A compound according to claim 4 or claim 5 in which Y represents a phenyl, naphthyl, anthryl or phenanthryl group, each group being optionally substituted by one or more substituents selected from the group consisting of halogen atoms and hydroxyl, methyl, vinyl, C_{1-4} alkoxy and carboxyl groups.
- 7. A compound according to any one of claims 4 to 6 in which Y represents a phenyl, fluorophenyl chlorophenyl, bromophenyl, trimethylphenyl, vinylphenyl, methoxyphenyl,

WO 00/04024

5

10

15

20

25

30

-79-

PCT/GB99/02267

dimethoxyphenyl, trimethoxyphenyl, carboxylphenyl, naphthyl, hydroxynaphthyl, methoxynaphthyl, anthryl or phenanthryl group.

- 8. A compound according to any one of claims 4 to 7 in which Y represents a phenyl or trimethoxyphenyl group.
- 9. A compound according to claim 1 in which Y represents a group $-NR^1R^2$ where R^1 represents a hydrogen atom or a C_{1-6} alkyl group and R^2 represents a C_{1-6} alkyl, C_{3-8} cycloalkyl, C_{6-10} aryl or C_{7-16} aralkyl group, or R^1 and R^2 together with the interjacent nitrogen atom represent a 5- to 10-membered heterocyclic group or an amino group derived from a C_{1-6} alkyl ester of an amino acid, each group being optionally substituted by one or more substituents selected from the group consisting of halogen atoms, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-6} alkoxycarbonyl, phenyl, halophenyl, C_{1-4} alkylphenyl, C_{1-4} alkoxyphenyl, benzyl, pyridyl and pyrimidinyl groups.
- 10. A compound according to claim 9 in which Y represents a group -NR¹R² where R¹ represents a hydrogen atom or a C₁-4 alkyl group and R² represents a C₁-4 alkyl, C₃-6 cycloalkyl, phenyl or benzyl group, or R¹ and R² together with the interjacent nitrogen atom represent a 6- to 10-membered heterocyclic group or an amino group derived from a C₁-4 alkyl ester of an amino acid, each group being optionally substituted by one or more substituents selected from the group consisting of halogen atoms, C₁-4 haloalkyl, C₁-4 alkoxycarbonyl, phenyl, halophenyl, C₁-4 alkylphenyl, C₁-4 haloalkylphenyl, C₁-4 alkoxyphenyl, benzyl, pyridyl and pyrimidinyl groups.

-80**-**

11. A compound according to claim 9 or claim 10 in which Y represents a propylamino, cyclopentylamino, cyclohexylamino, phenylamino, fluorophenylamino, chlorophenylamino, bromophenylamino, iodophenylamino, methoxycarbonylphenylamino, biphenylamino, benzylamino, fluorobenzylamino, bis(trifluoromethyl)benzylamino, phenylethylamino, phenyl-methoxycarbonylmethylamino, diethylamino, morpholinyl, thiomorpholinyl, morpholinosulphonyl, indolinyl, tetrahydroisoquinolinyl, phenylpiperazinyl, fluorophenylpiperazinyl, chlorophenylpiperazinyl, methylphenylpiperazinyl, trifluoromethylphenylpiperazinyl, methoxyphenylpiperazinyl, benzylpiperazinyl, pyridylpiperazinyl and pyrimidinylpiperazinyl group.

15

5

10

12. A compound according to any one of claims 9 to 11 in which Y represents a propylamino, phenylamino, bromophenylamino, iodophenylamino, biphenylamino, benzylamino, bis(trifluoromethyl)benzylamino, phenylethylamino, phenyl-methoxycarbonylmethylamino or morpholinyl group.

25

20

13. A compound according to any one of the preceding claims in which the parasite is an organism of the genus Neospora or the genus Eimeria.

30

14. Use of a compound of the general formula I as defined in any one of claims 1 to 12 for the manufacture of a medicament for the treatment and/or prophylaxis of a disease caused by infection with a parasite other than an organism of the genus <u>Plasmodium</u>.

-81-

15. Use according to claim 14 in which the parasite is an organism of the genus Neospora or the genus Eimeria.

- 16. A compound of the general formula I as defined in any one of claims 1 to 12, with the proviso that, when Y is a group -NR¹R² and R² represents a phenyl, 3-chlorophenyl, 4-chlorophenyl, 3-bromophenyl, 4-bromophenyl, 4-iodophenyl, 4-methylphenyl, 4-methoxyphenyl, 3-carboxylphenyl or 4-carboxylphenyl group, then R¹ is an optionally substituted alkyl group.
- 17. A process for the preparation of a compound of the general formula I according to claim 16 which comprises reacting a compound of the general formula II

$$H_3C$$
 CH_3
 CH_3
 CH_3

20

25

30

5

10

15

in which Q represents a hydrogen atom or trimethylsilyl group, with a suitable halogenating agent to form a compound of the general formula I in which Y represents a halogen atom; and, if desired, reacting the compound of general formula I thus formed either with a Grignard reagent of the general formula YMgX where Y is an optionally substituted cycloalkyl, aryl, C-linked heteroaryl or heterocyclylalkyl group and X is a halogen atom to form a compound of general formula I in which Y represents an optionally substituted cycloalkyl, aryl, C-linked heteroaryl or heterocyclylalkyl group or with an

-82-

WO 00/04024

PCT/GB99/02267

amine of the general formula HNR^1R^2 where R^1 and R^2 are as defined in claim 13 to form a compound of general formula I in which Y represents a group $-NR^1R^2$ where R^1 and R^2 are as defined above.

5

10

15

30

- 18. A process according to claim 17 in which a compound of the general formula I in which Y represents a bromine atom is generated in situ by reacting a compound of the general formula II in which Q represents a trimethylsilyl group with bromotrimethylsilane.
- 19. A process for the preparation of a compound of the general formula I according to claim 16 in which Y represents an optionally substituted cycloalkyl, aryl, C-linked heteroaryl or heterocyclylalkyl group which comprises reacting 9,10-anhydroartemisinin with a compound of the general formula Y-H, where Y is as defined above, in the presence of a suitable Lewis acid.
- 20. A process for the preparation of a compound of the general formula I as defined in claim 1 in which Y represents an optionally substituted aryl or C-linked heteroaryl group which comprises reacting 10-trichloroacetimidoyl-10-deoxoartemisinin with a compound of the general formula Y-H, where Y is defined above, in the presence of a suitable Lewis acid.
 - 21. A process according to claim 18 in which the 10-trichloroacetimidoyl-10-deoxoartemisnin is generated in situ by reacting a compound of formula II as defined in claim 17 in which Q represents a hydrogen atom with trichloroacetonitrile in the presence of a suitable base.

-83-

- 22. A process for the preparation of a compound of the general formula I as defined in claim 1 in which Y represents an optionally substituted aryl or C-linked heteroaryl group which comprises reacting a 10-acyloxyartemisinin compound in which the acyloxy group is of formula A-(C=O)-O-, where A represents an optionally substituted alkyl, cycloalkyl, aryl, aralkyl, heterocyclic or polycyclic group, with a compound of the general formula Y-H, where Y is as defined above, in the presence of a Lewis acid.
- 23. A pharmaceutical composition which comprises a carrier and, as active ingredient, a compound of the general formula I according to claim 16.

15

5

10

24. A compound of the general formula I according to claim 16 for use in the treatment and/or prophylaxis of a disease caused by infection with a parasite of the genus Plasmodium.

20

25. Use of a compound of the general formula I according to Claim 16 for the manufacture of a medicament for the treatment and/or prophylaxis of a disease caused by infection with a parasite of the genus <u>Plasmodium</u>.

25

30

26. A method for treating a disease caused by infection with a parasite other than an organism of the genus <u>Plasmodium</u> which comprises administering to a host in need of such treatment a therapeutically effective amount of a compound of the general formula I as defined in claim 1.

-84-

27. A method for treating a disease caused by infection with a parasite of the genus <u>Plasmodium</u> which comprises administering to a host in need of such treatment a therapeutically effective amount of a compound of the general formula I according to claim 16.

5

Intuitional Application No PCT/GB 99/02267

				
A. CLASSII IPC 7	(CO7D493/18,307:00),(CO7D493/18,20	35 //(C07D493/18,241 09:00),(C07D493/18,265:	:00), 00),	
According to	(C07D493/18, 221:00) o International Patent Classification (IPC) or to both national classific	eation and IPC		
	SEARCHED	and and a		
Minimum do IPC 7	ocumentation searched (classification system followed by classification ${\tt C070}$	on symbols)		
Documentat	tion searched other than minimum documentation to the extent that s	such documents are included in the fields se	earched	
	tata base consulted during the international search (name of data ba	ise and, where practical, search terms used)	
	ENTS CONSIDERED TO BE RELEVANT		,	
Category *	Citation of document, with indication, where appropriate, of the rel	levant passages	Relevant to claim No.	
X	JEFFORD,C.W.: "Peroxidic Antimal ADV.DRUG RES., vol. 29, 1997, pages 271-325, XPC LONDON * see page 320, 2nd par., last se the whole document	002119844	1-27	
х	MESHNICK S R ET AL: "ARTEMISININ ANTIMALARIAL ENDOPEROXIDES: FROM REMEDY TO TARGETED CHEMOTHERAPY" MICROBIOLOGICAL REVIEWS, vol. 60, no. 2, 1 June 1996 (1996 pages 301-315, XP002052313 * see page 306, right col., last pages the whole document	HERBAL 6-06-01),	1-27	
		-/		
Y Funt	her documents are listed in the continuation of box C.	Y Patent family members are listed	in annay	
		Patent family members are listed	III dinica.	
A docume consid	ategories of cited documents: ent defining the general state of the art which is not dered to be of particular relevance	*T* later document published after the inte or priority date and not in conflict with cited to understand the principle or the invention	the application but	
E earlier d	document but published on or after the international date	*X* document of particular relevance; the c	laimed invention	
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) cannot be considered novel or cannot be considered to involve an inventive step when the document is laken alo "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to the considered to involve an inventive step when the document is laken alo "Y" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is laken alo "Y" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is laken alo "Y" document of particular relevance; the claimed invention cannot be considered novel or cannot be				
O docume other n	ent referring to an oral disclosure, use, exhibition or means	document is combined with one or mo ments, such combination being obviou	ore other such docu-	
P docume later th	ent published prior to the international filing date but han the priority date clairned	in the art. *&* document member of the same patent		
Date of the	actual completion of the international search	Date of mailing of the international sea	arch report	
3	November 1999	3 0. 11. 99		
Name and n	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer		
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Stellmach, J		

3

Int :lonal Application No
PCT/GB 99/02267

		PCT/GB 99/02267
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X .	EP 0 456 149 A (HOECHST AG) 13 November 1991 (1991-11-13) the whole document	1-27
X	EP 0 362 730 A (HOECHST AG) 11 April 1990 (1990-04-11) the whole document	1–27
Y	WO 93 08195 A (UNIV SYDNEY) 29 April 1993 (1993-04-29) the whole document	1–27
Ρ,Χ	POSNER,G.H.: "Antimalarial peroxides in the quinghaosu (artesimin) and yingzhaosu families" EXP.OPIN.THER.PATENTS, vol. 8, no. 11, November 1998 (1998-11), pages 1487-1493, XP002119814 LONDON the whole document	1-15,20
P,X	WO 99 33461 A (HAUSER INC ;UNIV JOHNS HOPKINS (US)) 8 July 1999 (1999-07-08) the whole document 	1-27
	·	

Inte Ional Application No PCT/GB 99/02267

Continu	MIGN DOCUMENTS CONCIDENTS TO DE COLUMN	PCT/GB 99/02267
alegory °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Polyment to stairs N
alogoly *	one of the relevant passages	Relevant to claim No.
Y	TONMUNPHEAN, S. ET AL.: "Comparative molecular field analysis of artemisinin derivatives: Ab initio versus semiempirical optimized structures "J.COMPAIDED MOL.DES., vol. 12, 1998, pages 397-409, XP002120343 AMSTERDAM	1-15,20
X	* see p.402,fig. 2 * the whole document	16-25
X	LUO ET AL: "The Chemistry, Pharmacology, and Clinicla Applications of Qinghaosu (Artemisinin) and Its Derivatives" MEDICINAL RESEARCH REVIEWS, vol. 7, no. 1, 1 January 1987 (1987-01-01), pages 29-57, XP002088809 ISSN: 0198-6325 the whole document	1-27
Y	YONG-HUA Y ET AL: "Artemisinin derivatives with 12-aniline substitution: synthesis and antimalarial activity" BIOORGANIC & MEDICINAL CHEMISTRY LETTERS, vol. 5, no. 16, 17 August 1995 (1995-08-17), page 1791-1794 XP004135366 ISSN: 0960-894X the whole document	1-27
Y	PU ET AL: "Synthesis and Antimalarial Activities of Several Fluorinated Artemisinin Derivatives" JOURNAL OF MEDICINAL CHEMISTRY, vol. 38, no. 20, 1 January 1995 (1995-01-01), pages 4120-4124, XP002089611 ISSN: 0022-2623 the whole document	1-27
X	JUNG,M. ET AL.: "A Concise Synthesis of Novel Aromatic Analogs of Artemisinin" HETEROCYCLES, vol. 45, no. 6, 1997, pages 1055-1058, XP002120565 SENDAI the whole document	1-27
X	CN 1 122 806 A (SHANGHAI INST OF MATERIA MEDIC) 22 May 1996 (1996-05-22) the whole document	1-27
X	US 5 225 562 A (MCCHESNEY JAMES D ET AL) 6 July 1993 (1993-07-06) the whole document	1-27
	-/	

Ir.. .tational application No. PCT/GB 99/02267

Box I Observations where certain claims were found unsearchable (Continua	ation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Ar	ticle 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, na	umely:
Although claims 26 and 27 are directed to a method human/animal body, the search has been carried out effects of the compound/composition.	of treatment of the and based on the alleged
Claims Nos.: because they relate to parts of the International Application that do not comply with the an extent that no meaningful International Search can be carried out, specifically:	e prescribed requirements to such
Claims Nos.: because they are dependent claims and are not drafted in accordance with the secon	d and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item	2 of first shoot)
This International Searching Authority found multiple inventions in this international application	, as follows:
As all required additional search fees were timely paid by the applicant, this Internation searchable claims.	nal Search Report covers all
As all searchable claims could be searched without effort justifying an additional fee, of any additional fee.	this Authority did not invite payment
As only some of the required additional search fees were timely paid by the applicant covers only those claims for which fees were paid, specifically claims Nos.:	this International Search Report
No required additional search fees were timely paid by the applicant. Consequently, to restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	his International Search Report is
Remark on Protest The additional search fees were No protest accompanied the pay	accompanied by the applicant's protest. ment of additional search fees.

Information on patent family members

Int :lonal Application No PCT/GB 99/02267

Patent document cited in search report	:	Publication date	Patent family member(s)	Publication date
CN 1122806	A	22-05-1996	NONE	
US 5225562	Α	06-07-1993	NONE	
EP 0456149	A	13-11-1991	AU 639095 F AU 7618591 F JP 4225983 F PT 97577 F US 5246930 F	7 07-11-1991 7 14-08-1992 7 31-01-1992
EP 0362730	Α	11-04-1990	AU 629571 E AU 4242189 / CN 1041595 / JP 2145586 / MX 17808 / NZ 230868 / US 5225427 /	12-04-1990 25-04-1990 3 05-06-1990 3 31-03-1994 4 26-08-1992
WO 9308195	Α	29-04-1993	AU 659505 E JP 7500325	
WO 9933461	A	08-07-1999	AU 2018499 /	N 19-07-1999